

## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.



1903

1904



The  
BELLEVUE  
Nursery

TRADE LIST OF

AMERICAN

# Plants and Shrubs

COLLECTED AND GROWN BY

Wm. F. BASSETT & SON

Hammonton, New Jersey, U. S. A.



## Terms and Remarks.

---

**Our Terms** are net cash, and are for the quantities named, except that 5, 50, and 500 will be furnished at the ten, hundred, and thousand rates respectively. Parties not known by us to be responsible and reliable will be expected to send cash with order, or good references.

**Shipping Facilities.** Our nurseries are within thirty miles of Philadelphia (two railroads), and one hundred miles from New York, and freight rates very low.

**Mailing Plants.** Small orders will be filled by mail when so requested, where the size of the plant will permit ; but postage will be added to all bills so forwarded.

**Collected Plants.** This is our original specialty, and we collect plants in New Jersey, Pennsylvania, Delaware, and Maryland, and we also have arrangements with special collectors in the New England and other states. This collecting is all done by skilled men, and the plants so collected are not to be compared with "cheap collected plants" *pulled up* by irresponsible parties at so much per thousand. We aim to get the very best, especially in those species that are difficult to transplant, and we send out only such as we could succeed with ourselves ; but as we cannot control weather conditions or other circumstances where we send them, we cannot, of course, assume any responsibility further than to ship them in good order.

**Transplanted Stock.** To meet the wants of an increasing list of customers, we have for several years been transplanting the best varieties of our native shrubs and hardy plants into our nursery grounds, and growing them under culture for one or more years.

**Packing,** which is done in a most thorough manner, is charged at cost. We use the best of sphagnum moss.

---

## To our European Friends.

We have a good list of European customers, and our system of packing is such that our shipments have arrived in perfect condition. We wish, however, to say to this class of customers that Fall orders are much more desirable, as the dormant condition of stock shipped at that season admits of closer packing, and consequently safer transit.

---

## Certificate of Inspection.

A copy of the Certificate of Inspection will be mailed on application.  
We will fumigate stock *when requested*.

# *Novelties and Specialties.*

---

## **Amelanchier Rotundifolium.**

We have found this so much superior to *Amelanchier Canadensis* in every respect, that we unhesitatingly recommend it. Its style of growth is more compact, the foliage is more dense, and of a richer, darker green, turning to rich shades of crimson and gold in Autumn; and the strain we offer produces, in great abundance, berries which are much larger, less seedy, and of better flavor than any other June Berry. For cooking, when used with pie cherries, equal quantities of each, they make better pies and puddings than cherries alone.

## **Pyrus Brilliantissima.**

It is not necessary to say to those who are familiar with the common *Pyrus arbutifolia*, that the fruit varies in color from red to almost black, and that the greater portion, even of those which are light red when first ripening, turn quite dark and dull later in the season. Our *Brilliantissima* has been propagated from a few plants we found, which produced bright scarlet berries and retain their bright color until late in the Winter. This is so decidedly superior to the ordinary form that the little difference in first cost is not worth considering. Our stock of this is unusually fine.

## **Hibiscus Crimson Eye.**

This, the finest of all the hardy Hibiscus, was introduced by us, and has been steadily gaining in popularity, and our sales of it increase largely every year. We also introduced the Rose Pink Hibiscus, and we are among the very few who offer *Hibiscus Militaris*, both fine varieties.

## **Plants not in this List.**

There are many native plants not included in this list, which we can collect if desired. We can collect nine varieties of *Eupatorium*, twenty varieties of *Aster*, eighteen varieties of *Solidago*, and many others.

## **Dahlias.**

Our stock of Dahlias includes the best standard varieties and the cream of the newer sorts,—about two hundred varieties. Dahlia list mailed on application.

## **Seeds.**

We collect American tree and shrub seeds **on orders only**. Prices quoted on application.

## **Large Plants**

We make a specialty of large plants, collected with ball of earth, in carload lots. In this list may be mentioned *Ilex glabra*, *Ilex opaca*, *Kalmia latifolia*, *Azalea viscosa*, *Vaccinium corymbosum*, *Viburnum cassinoides*, etc. These are unusually fine specimens of each variety, ranging in size from one to six feet, according to variety. **Special prices** on carload lots.

## Hardy Perennial Phlox.

We offer the following selection of Hardy Perennial Phlox in strong field-grown plants. This selection is the best of a large collection. Those marked \* are an extra selection from this list, and are the very best.

- \**Aquilon*. Bright deep pink, with bright crimson eye.
- Bacchante*. A fine dark crimson, shading lighter towards the center.
- B. Comte*. Intensely rich purplish crimson; very glowing.
- Bridesmaid*. Pure white with large crimson centre; very free flowering.
- \**Beranger*. Salmon pink, suffused white, with rosy carmine eye.
- Bournouf*. Scarlet suffused with orange, deep carmine eye.
- Blanc Nain*. Very dwarf, pure white.
- \**Champs Elysee*. A fine rich purplish crimson.
- Cyclon*. White suffused with rosy lilac, dark rose eye; dwarf and attractive.
- \**Eclairneur*. Purplish crimson with light halo; a fine large flower.
- Etna*. Scarlet, with dark crimson eye.
- Esclarmonde*. Lilac washed with white, deep rose-colored eye; fine large flower
- \**Eugene Danzanvillier*. Lilac, shading white towards the edges, with large white centre.
- \**Henry Murger*. White, with bright rose eye.
- \**Jeanne d'Arc*. Late flowering, pure white.
- Lothair*. Salmon red, with carmine eye.
- La Vague*. Rosy pink, with red eye.
- La Fondre*. Purplish crimson, with brilliant carmine centre.
- \**La Nuit*. Bright purplish crimson.
- Moliere*. Salmon rose, with deep rose eye.
- \**Michael Cervantes*. Pure white, with distinct crimson eye.
- Ornement*. Magenta, with crimson eye; dwarf.
- Otto Thalacker*. Magenta crimson.
- Obergartner Wittig*. Bright magenta, with pure red eye and white halo; a fine large flower and truss, the best of its type.
- Opale*. White, with salmon pink centre and carmine eye.
- \**Pantheon*. Fine deep salmon rose, very free and effective.
- P. Bonnetain*. Magenta, overlaid with salmon.
- \**Prof. Schlieman*. Bright lilac rose, bright eye, small flower, large compact truss
- Semiramis*. Purplish magenta.
- Simplon*. White suffused with lilac, with dark rose centre.
- Sylphide*. Large flower, dwarf, pure white.
- Thebaide*. Salmon red with crimson eye; small flower, but very free.
- The Pearl*. The best pure white.

Price,—10 c. each; \$1 for 10; \$5 per 100; \$45 per 1000.

## The three Red Phlox

*Coquelicot*, \**Jocelyn*, *Matador*,—15 c. each; \$1.25 for 10; \$7.50 per 100.

## General List of Hardy Perennials.

We have a large and varied stock of Hardy Perennials, including the very best standard varieties and many of the newer sorts. Parties intending to plant largely of this class of stock should send their list for special estimate. A liberal discount on orders amounting to twenty-five dollars or more.

	EACH	10	100	1000
	\$0.15	\$0.50	\$	\$
Achillea filipendula . . . . .	15	1.00		
“ “ eupatoria . . . . .	10	.50	3.00	25.00
“ “ millefolium roseum . . . . .	10	.40	2.50	20.00
“ “ The Pearl . . . . .	15	.50	4.00	
“ “ tomentosa . . . . .	10	.50	1.50	10.00
Acorus calamus, collected . . . . .	15	.60	3.00	25.00
Adiantum pedatum . . . . .	10	.50	1.80	12.00
Aletris farinosa, col . . . . .	10	.75		
Alyssum saxatile . . . . .	15	1.00		
Amconia salicifolia . . . . .	15	1.00		
Anchusa Italica . . . . .	10	.50	2.00	15.00
Andropogon macrourus, col . . . . .	20	.75		
Anemone Pennsylvanica . . . . .			5.00	
“ “ col . . . . .	15	.60	3.00	
“ nemorosa, col . . . . .	15	.60	3.00	
Anemonella thalictroides, col . . . . .	20	1.00		
Anthemis Kelwayii . . . . .	10	.30	1.00	8.00
Apios tuberosa . . . . .	15	.75	6.00	
Aquilegia Canadensis . . . . .		.50	2.50	20.00
“ “ col . . . . .	25	.75	4.00	
“ ccerulea hybrida . . . . .	15	.75		
Aralia hispida . . . . .	20	.70	3.00	25.00
Arenaria squarrosa, col . . . . .	20	.80	4.00	
Arisaema Dracontium, col . . . . .	10	.50	2.00	15.00
“ triphyllum, col . . . . .	15	.50	4.00	
Asarum Canadense . . . . .	25	2.00		
Asclepias incarnata, white . . . . .	10	.50	3.00	20.00
“ “ pulchra, col . . . . .	20	.80		
“ obtusifolia, col . . . . .	25			
“ rubra . . . . .	20	1.00	6.00	40.00
“ tuberosa, col . . . . .	10	.50	2.00	10.00
Aspidium acrostichoides . . . . .	30	1.25		
“ aculeatum var. Braunii, col . . . . .	20	.70	4.00	
“ cristatum, col . . . . .	25	1.25		
“ goldianum . . . . .	10	.50	2.00	10.00
“ marginale, col . . . . .	10	.50	2.00	10.00
“ novaboracensis, col . . . . .	15	.75	3.00	25.00
“ spinulosum, col . . . . .	10	.50	2.00	10.00
“ thelypteris, col . . . . .	10	.50	2.00	15.00
Asplenium ebeneum, col . . . . .	15	.60	3.00	
“ trichomanes, col . . . . .	15	.75		
Aster concolor, col . . . . .	10	.50	1.50	12.00
“ linariifolius, col . . . . .	15	.75		
“ longifolius, col . . . . .				

All plants in this list are nursery-grown unless otherwise specified.



	EACH	10	100	1000
Aster nemoralis, collected . . . . .	20	.80	\$	\$
“ Nova Anglae . . . . .	15	.60	3.50	
“ “ rubra . . . . .	15	1.00	8.00	
“ “ rosea . . . . .	15	1.00	8.00	
“ Mrs. F. Raynor . . . . .	15	1.00		
“ laevis . . . . .	15	.75	6.00	
“ “ floribunda . . . . .	25			
“ patens, col . . . . .	10	.50		
“ puneceus . . . . .	20	.75		
“ spectabilis, col . . . . .	10	.50	2.50	20.00
“ tradescantii, col . . . . .	10	.40	2.50	20.00
“ Tartaricus . . . . .	15	.75	3.00	
Baptisia tinctoria, col . . . . .	25	1.00	3.00	
Boltonia asteroides . . . . .	15	.75	4.00	
“ glastifolia . . . . .	25	1.00	4.00	
“ latisquamae . . . . .	15	.75	3.50	
Botrychium Virginicum, col . . . . .	20	.60	4.00	
Brasenia peltata, col . . . . .	10	.50	2.00	15.00
Breweria Pickeringii, col . . . . .	25	1.00	6.00	
Brunella vulgaris . . . . .	10	.50	2.00	
Calamagrostis brevipilis, col . . . . .	25	1.00	5.00	
“ Nuttaliana, col . . . . .	25	1.00	6.00	
Calla palustris, col . . . . .	15	.75	4.00	
Callirhoe involucrata . . . . .	15	.60	4.00	
Calopogon pulchellus, col . . . . .	15	.60	4.00	
Caltha palustris, col . . . . .	15	.60	3.00	25.00
Campanula carpatica . . . . .	15	.75		
“ Mœrheimi . . . . .	25	1.50		
Camptosorus rhizophyllus, col . . . . .	15	.50	2.50	
Cassia Marylandica . . . . .	15	.60	3.00	
Centrosema Virginica (root cuttings) . . . . .		.25	.80	7.50
“ “ White Lady (root cuttings) . . . . .		.50	1.50	10.00
Chelone glabra, col . . . . .	10	.50	3.00	
Chimphila maculata, col . . . . .	15	.60	3.00	
“ umbellata, col . . . . .	15	.75	4.00	
Chrysopsis falcata, col . . . . .	20	.50	3.00	10.00
“ Mariana, col . . . . .	10	.50	2.50	15.00
Cimicifuga racemosa, col . . . . .	15	.60	3.00	20.00
Claytonia Virginica, col . . . . .	15	.60	2.00	
Clintonia borealis, col . . . . .	15	.60	3.00	
Coreopsis auriculata . . . . .	10	.50		
“ grandiflora (Harvest Moon) . . . . .	15	.75	4.00	
“ lanceolata . . . . .	10	.50	2.00	15.00
“ rosea . . . . .	15	.75		
Coronilla varia . . . . .	10	.60	4.00	
Cunilla Mariana, col . . . . .	20	.60	3.00	
Cypripedium acaule, col . . . . .	15	.75	4.00	
Delphinium formosam . . . . .	15	1.00		
“ Chinese, white . . . . .	10	.60		

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
<i>Dentaria laciniata</i> , col . . . . .	15	.60	3.00	
<i>Dicentra Canadensis</i> , col . . . . .	15	.75	2.50	15.00
" <i>cucullaria</i> , col . . . . .	15	.60	2.00	15.00
<i>Dicksonia pilosiuscula</i> . . . . .	15	.60	2.00	10.00
<i>Digitalis gloxinoides</i> . . . . .	15	.75		
<i>Dioscorea villosa</i> , col . . . . .	25	1.50		
<i>Dracocephalum Virginicum</i> . . . . .	10	.50	2.00	
<i>Drosera filiformis</i> , col . . . . .	15	.60	1.50	10.00
" <i>intermedia</i> . . . . .	15	.60	3.00	
<i>Elodes Virginica</i> , col . . . . .	15	.60	3.00	15.00
<i>Epilobium angustifolium</i> , col . . . . .	15	.75		
<i>Erianthus alopecuroides</i> , col . . . . .	15	.60	3.00	
<i>Eriocaulon gnaphalodes</i> , col . . . . .	15	.60	1.50	
" <i>decangulare</i> , col . . . . .	15	.60	2.00	
<i>Eriophorum Virginicum</i> , col . . . . .	15	.75		
<i>Eryngium amethystium</i> . . . . .	25	1.00		
" <i>planum</i> . . . . .	25	1.00		
" <i>Virginicum</i> . . . . .	15	.75	3.00	25.00
<i>Erythronium Americanum</i> , col . . . . .	15	.60		
<i>Eulalia gracillima</i> . . . . .	10	.50	2.00	18.00
" <i>Japonica zebrina</i> . . . . .	15	.60	2.50	18.00
<i>Eupatorium ageratoides</i> . . . . .	15	.75	4.00	
"    " <i>col</i> . . . . .	15	.60	3.00	20.00
" <i>aromaticum</i> , col . . . . .	20	.75	4.00	
" <i>cœlestinum</i> . . . . .	20	1.00		
" <i>purpureum</i> , col . . . . .	15	.60	3.00	20.00
<i>Euphorbia corollata</i> . . . . .	15	.50	3.00	20.00
" <i>ipecacuanhæ</i> , col . . . . .	10	.50	2.00	15.00
<i>Funkia lancifolia</i> . . . . .	15	.60	3.00	
" <i>subcordata</i> . . . . .	25	1.00		
" <i>Sieboldii</i> . . . . .	25	2.00		
" <i>Thos. Hogg</i> . . . . .	25	1.25	8.00	
<i>Gaillardia grandiflora</i> . . . . .	20	1.00	5.00	
" <i>compacta</i> . . . . .	25	1.00	6.00	
<i>Galactea glabella</i> . . . . .	20	.80	5.00	
<i>Gentiana Andrewsii</i> , col . . . . .	25	1.25	6.00	
" <i>angustifolia</i> , col . . . . .	25	1.50		
" <i>saponaria</i> , col . . . . .	25	1.00	6.00	
<i>Geranium maculatum</i> , col . . . . .	15	.60	2.50	
" <i>sanguineum</i> . . . . .	15	.80	5.00	
<i>Gerardia flava</i> , col . . . . .	20	.75	4.00	
" <i>quercifolia</i> , col . . . . .	25	2.50		
<i>Gillenia trifoliata</i> , col . . . . .	25	1.00		
<i>Goodyera pubescens</i> . . . . .	30	1.00		
<i>Gratiola aurea</i> , col . . . . .	15	.60	3.00	
<i>Gypsophyla repens</i> . . . . .	25	1.50		
<i>Habenaria blephariglottis</i> , col . . . . .	15	.70	5.00	
" <i>ciliaris</i> , col . . . . .	15	.75	5.00	

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
<i>Helenium autumnale</i> . . . . .	15	.60	2.00	15.00
“ “ <i>superbum</i> . . . . .	15	.60	3.50	30.00
“ <i>Boulanderi</i> . . . . .	25	1.00		
“ <i>pumilum</i> . . . . .	15	1.00		
“ <i>grandicephalum striatum</i> . . . . .	15	.60	4.00	35.00
<i>Helianthus angustifolius</i> , col . . . . .	15	.60	3.00	20.00
“ <i>decapetalus</i> . . . . .	20	.75		
“ <i>divaricatus</i> , col . . . . .	15	.60	2.00	15.00
“ <i>giganteus</i> . . . . .	15	.60	3.00	
“ <i>lætiflorus</i> . . . . .	10	.50	2.00	10.00
“ <i>Maximillianii</i> . . . . .	20	.80	5.00	
“ <i>mollis</i> . . . . .	20	.75		
“ <i>orgyalis</i> . . . . .	10	.50	3.50	
“ <i>strumosus</i> . . . . .	10	.50	3.00	
<i>Heliopsis Pitcheriana</i> . . . . .	25	1.00	5.00	
“ <i>scabra</i> . . . . .	20	1.00	5.00	
<i>Helonias bullata</i> , col . . . . .	20	.85	4.00	30.00
<i>Hemerocallis Dumortieri</i> . . . . .	15	.60	4.00	35.00
“ <i>florham</i> . . . . .	30			
“ <i>flava</i> . . . . .	20	.75	4.00	
“ <i>fulva</i> . . . . .	10	.60	2.00	15.00
“ <i>middendorffiana</i> . . . . .	25	2.00		
“ <i>Kwanso plena</i> , var . . . . .	25	1.25		
“ <i>Thunbergii</i> . . . . .	20	.75	5.00	
<i>Hepatica acutiloba</i> , col . . . . .	15	.60	3.00	20.00
“ <i>triloba</i> , col . . . . .	15	.60	3.00	20.00
<i>Heuchera Americana</i> . . . . .	15	.75	4.00	
“ “ col . . . . .	15	.50	2.00	15.00
<i>Hibiscus moscheutos</i> . . . . .	15	.60	3.00	20.00
“ “ <i>Crimson Eye</i> . . . . .	15	.60	2.50	18.00
“ “ <i>Rose Pink</i> . . . . .	15	.60	3.00	20.00
“ <i>militaris</i> . . . . .	15	.75	4.00	
<i>Houstonia cœrulea</i> , col . . . . .	15	.50	3.00	
<i>Hymenocallis Galvestonensis</i> (HardySpiderLily) . . . . .	25	1.00		
<i>Hypericum angulosum</i> , col . . . . .	15	.60		
“ <i>ascyron</i> . . . . .	25			
<i>Iberis sempervirens</i> . . . . .	20	1.00	5.00	
“ “ <i>superba</i> . . . . .	25	1.50	6.00	
<i>Ipomœa pandurata</i> , col . . . . .	25	1.00	6.00	
<i>Iris Germanica</i> in special colors . . . . .	15	1.00	4.00	
“ <i>aurea</i> . . . . .	25	1.50		
“ <i>prismatica</i> , col . . . . .	15	.60	2.00	15.00
“ <i>pumila</i> . . . . .	15	.60	2.50	
“ <i>pseudacorus</i> . . . . .	10	.50		
“ <i>Kämpferii</i> . . . . .	15	.60	4.00	
“ <i>Siberica</i> . . . . .	15	1.00	5.00	
“ “ <i>alba</i> . . . . .	25	1.00		
“ <i>versicolor</i> . . . . .		.75	4.00	
“ “ col . . . . .	15	.60	1.50	12.00

All plants in this list are nursery grown unless otherwise specified.

	EACH	10	100	1000
Lacnanthes tinctoria . . . . .	10	.50	2.00	15.00
Lavendula spica . . . . .	15	1.00		
Liatris graminifolia, col . . . . .	10	.50	2.00	15.00
“ punctata . . . . .	20			
“ cylindracea . . . . .	15	1.00		
“ pychnostachia . . . . .	25	1.25	4.00	30.00
“ scariosa . . . . .	20			
“ spicata . . . . .	20	.75	2.50	
Lilium Philadelphicum, col . . . . .	25	.80		
“ superbum . . . . .	20	.75	4.00	
“ Canadense, flavum . . . . .	20	.75		
“ “ rubrum . . . . .	20	.75		
Linaria Canadensis . . . . .	10	.50	2.00	10.00
“ vulgaris . . . . .	10	.50	2.00	10.00
Liparis liliifolia . . . . .	25	1.25	8.00	
Lobelia cardinalis, col . . . . .	20	.60	3.00	20.00
“ syphilitica, col . . . . .	25	.80	4.00	
Lophiola aurea, col . . . . .	25	.60	3.00	25.00
Lupinus perennis . . . . .	15	.60	4.00	
Lychnis chalcedonica . . . . .	15	.60		
Lysimachia ciliata . . . . .	15	.60	3.00	
“ clethroides . . . . .	15	.60	4.00	
“ nummularia . . . . .	15	.60	2.00	
“ punctata . . . . .	15	.60	3.00	
“ quadrifolia, col . . . . .	15	.60	2.50	
“ stricta . . . . .	15	.60	2.00	
Lythrum salicaria superba . . . . .	15	.80	4.50	40.00
Malva moschata . . . . .	15	.75		
Mertensia Virginica, col . . . . .	20	.75	3.50	25.00
Mikania scandens, col . . . . .	25	1.00	5.00	
Mitchella, repens, col . . . . .	10	.50	1.50	12.00
Monarda didyma coccinea . . . . .	15	1.00	5.00	
“ purpurea . . . . .	15	1.00	5.00	
“ fistulosa . . . . .	15	1.00	5.00	
Mentha piperita . . . . .	15	.75	2.50	
“ viridis . . . . .	15	.75	2.50	
Narthecium Americanum, col . . . . .	30	1.50	5.00	40.00
Nepeta glechoma . . . . .	10	.50	2.00	
Nesaea verticillata, col . . . . .	25	1.00	5.00	
Nuphar advena, col . . . . .	25	1.00	6.00	
Nymphæa odorata, col . . . . .	25	.75	3.00	
“ “ minor, col . . . . .	25	.75	3.00	
Oenothera fruticosa, col . . . . .	15	.60	2.00	18.00
“ Youngii . . . . .	15	.75		
Onoclea sensibilis, col . . . . .	15	.50	2.00	10.00
“ struthiopteris, col . . . . .	15	.70	4.00	
Opuntia Rafinesquii . . . . .	15	.60	2.00	15.00
Orontium Aquaticum, col . . . . .	20	.90	6.00	45.00
Osmunda cinnamomea, col . . . . .	20	1.00	6.00	35.00
“ Claytoniana, col . . . . .	20	.85	4.00	35.00
“ gracilis, col . . . . .	25	1.00	6.00	40.00

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
<i>Osmunda regalis</i> , col . . . . .	20	1.00	6.00	40.00
<i>Oxalis violacea</i> , col . . . . .	15	.60	3.00	
<i>Pancratium Caribœmn</i> . . . . .	25	1.00	6.00	
<i>Panicum virgatum</i> , col . . . . .	15	.60	2.00	15.00
<i>Pardanthus Chinensis</i> . . . . .	10	.50	2.00	15.00
<i>Pentstemon barbatus Torreyi</i> . . . . .	20	.75	4.50	
“ <i>grandiflorus</i> . . . . .	20	1.00	7.00	
“ <i>digitalis</i> . . . . .	20	1.00	5.00	
“ <i>cobæa</i> . . . . .	10	.75	5.00	
“ <i>pubescens</i> . . . . .	15	.60	2.50	20.00
<i>Peltandra Virginica</i> , col . . . . .	30	1.50	8.00	60.00
<i>Phegopteris dryopteris</i> . . . . .	15	.60		
“ <i>hexagonoptera</i> . . . . .	15	.60	3.00	
“ <i>polypodioides</i> . . . . .	15	.60		
<i>Phlox divaricata</i> , col . . . . .	20	.75	3.00	25.00
“ <i>maculata</i> , col . . . . .	20	.75	3.50	
“ <i>subulata</i> . . . . .	15	.60	2.50	
“ “ <i>alba</i> . . . . .	15	.60	2.50	
“ <i>The Pearl</i> . . . . .	25			
<i>Physostegia Virginica</i> . . . . .	15	1.00		
“ “ <i>alba</i> . . . . .	15	1.00		
<i>Plumbago larpentæ</i> . . . . .	15	.60	4.00	
<i>Platycodon grandiflorum</i> . . . . .	25	.60	5.00	
“ “ <i>album</i> . . . . .	25	.60	5.00	
<i>Podophyllum peltatum</i> , col . . . . .	15	.60	2.00	15.00
<i>Pogonia ophioglossoides</i> , col . . . . .	20	.75	3.00	
<i>Polypodium vulgare</i> . . . . .	15	.60	2.00	10.00
<i>Pontederia cordata</i> , col . . . . .	20	.75	4.00	30.00
<i>Pteris aquilina</i> , col . . . . .	15	.50	2.00	10.00
<i>Pycnanthemum linifolium</i> . . . . .	10	.50		
<i>Pyrola chlorantha</i> , col . . . . .	15	.60	2.00	
“ <i>eliptica</i> , col . . . . .	15	.60	2.00	
“ <i>rotundifolia</i> , col . . . . .	15	.60	2.00	
<i>Pyxidantha barbulata</i> , col . . . . .	20	.75	3.00	25.00
<i>Rudbeckia fulgida</i> . . . . .	20	.80	4.00	
“ <i>hirta</i> , col . . . . .	15	.60	2.50	20.00
“ <i>laciniata</i> . . . . .	15	.60	3.00	25.00
“ “ <i>fl. pl. (Golden Glow)</i> . . . . .	10	.50	3.50	20.00
“ <i>speciosa</i> . . . . .	15	.80	5.00	
<i>Sabbatia chloroides</i> , col . . . . .	25	.75	4.00	35.00
“ <i>lanceolata</i> , col . . . . .	15	.60	3.00	25.00
<i>Salvia lyrata</i> . . . . .	10	.50	2.00	15.00
“ <i>azurea grandiflora</i> . . . . .	25	1.00		
<i>Sanguinaria Canadensis</i> . . . . .	15	.60	2.00	18.00
<i>Sarracenia purpurea</i> , col . . . . .	25	.75	3.00	25.00
<i>Scirpus Eriophorum</i> , col . . . . .	15	.60	3.00	
<i>Sedum acre</i> . . . . .	10	.50	3.00	20.00
“ <i>spectabile</i> . . . . .	15	1.00	5.00	
“ <i>ternatum</i> . . . . .	15	.60	2.00	15.00
<i>Silene Pennsylvanica</i> . . . . .	20	.75	5.00	
“ <i>stellata</i> . . . . .	15	.60	3.00	

All plants in this list are nursery grown unless otherwise specified.

	EACH	10	100	1000
Schizæa pusilla . . . . .	50	2.00		
Smilacina bifolia, col . . . . .	20	.75	3.00	25.00
“ racemosa, col . . . . .	20	.75	3.00	25.00
Solidago altissimum, col . . . . .	15	.60	2.50	
“ cæsia, col . . . . .	15	.50		
“ Canadensis, col . . . . .	15	.60	2.50	
“ juncea, col . . . . .	15	.50		
“ lanceolata, col . . . . .	10	.50	2.00	15.00
“ nemoralis, col . . . . .	15	.60	2.00	15.00
“ odora, col . . . . .	10	.50	2.00	15.00
“ puberula, col . . . . .	15	.60	2.50	
“ sempervirens . . . . .	10	.60	2.50	20.00
“ tenuifolia, col . . . . .	10	.50	2.00	15.00
“ virgata, col . . . . .	20	.75	3.00	25.00
Statice latifolia . . . . .	25	1.00		
Stokesia cyania . . . . .	20	1.50		
Tephrosia Virginica, col . . . . .	15	.60	2.00	18.00
Thalictrum cornuti, col . . . . .	20	.75	3.00	25.00
“ dioicum, col . . . . .	20	.75	3.50	30.00
Tradescantia Virginica . . . . .	15	.60	2.50	20.00
“ “ alba . . . . .	20	.75	3.50	
“ “ fl. pl . . . . .	25	1.00		
Trillium erectum, col . . . . .	15	.60	3.00	
“ “ album, col . . . . .	20	.75	4.00	
“ grandiflorum . . . . .	15	.50	2.50	15.00
“ “ roseum . . . . .	20	.75	5.00	
Tritoma uvaria . . . . .	25	1.25		
“ Pfitzerii . . . . .	25	1.25		
Thymus vulgaris . . . . .	10	.60	4.00	
Typha angustifolia, col . . . . .	15	.60	2.00	15.00
“ latifolia, col . . . . .	15	.60	2.00	15.00
Vernonia hybrida . . . . .	15	1.25		
“ novaboracensis, col . . . . .	20	.80	5.00	
Veronica Circæoides . . . . .	15	.75	3.00	
“ officinalis . . . . .	15	.50	2.00	18.00
“ longifolia subsessilis . . . . .	25	1.00		
Viola cucullata . . . . .	10	.50	1.50	10.00
“ pedata, col . . . . .	15	.50	2.50	20.00
“ “ bicolor . . . . .	25	1.00		
“ primulæfolia, col . . . . .	20	.75	2.50	
“ Pink Gem . . . . .	25	1.00		
Viola, Pinehurst . . . . .	15	1.00		
Water Hyacinth . . . . .	15	.50	3.00	
Woodwardia angustifolia, col . . . . .	15	.60	2.50	20.00
“ Virginia, col . . . . .	15	.60	2.00	15.00
Xerophyllum asphodeloides, col . . . . .	15	.60	2.00	15.00
“ “ in strong clumps, col . . . . .	25	1.50		
Yucca filamentosa . . . . .	20	.70	3.50	30.00
“ “ (heavy plants) . . . . .	25	1.50	7.00	

All plants in this list are nursery-grown unless otherwise specified.

## Trees, Shrubs, and Woody Climbers.

	EACH	10	100	1000
<i>Acer Platanoides</i> , 6 to 12 feet . . . . .	30	2.50		
“ “ 3 to 6 feet . . . . .	20	1.50	10.00	
“ “ 1 to 3 feet . . . . .	10	.50	2.50	
“ “ seedlings, 4 to 6 in . . . . .		.25	1.00	
“ <i>Pennsylvanicum</i> , 2 to 4 ft . . . . .	25	2.00	15.00	
“ <i>rubrum</i> , 4 to 8 ft . . . . .	25	1.25		
“ “ 4 to 5 ft, col . . . . .	20	.80	4.00	
“ “ 3 to 4 ft, col . . . . .	20	.75	3.00	
“ “ 2 to 3 ft, col . . . . .	15	.50	2.50	15.00
“ <i>saccharinum</i> , 8 to 12 ft . . . . .	40	3.50		
“ “ 5 to 8 ft . . . . .	20	1.50	10.00	
“ <i>spicatum</i> , col . . . . .		1.00	4.00	
<i>Akebia quinata</i> , 2 years . . . . .	15	.50	2.50	
<i>Amelanchier Botryapium</i> , col . . . . .		.60	3.50	30.00
“ <i>Canadensis</i> , 3 to 4 ft, trans . . . . .	25	1.75		
“ “ 2 years, trans . . . . .	15	1.00	5.00	
“ “ col . . . . .		.60	3.00	
“ “ <i>rotundifolium</i> , 2-3 ft . . . . .	25	1.00	7.50	
“ “ “ 1-2 ft, trans . . . . .	15	.75	5.00	
<i>Amorpha fruticosa</i> . . . . .	15	.60	2.00	
<i>Ampelopsis quinquefolia</i> , 2 years . . . . .	15	.60	3.00	
<i>Andromeda arborea</i> , 3 to 4 ft . . . . .	35	2.00		
“ “ 2 to 3 ft . . . . .	30	1.50	10.00	
“ “ 1 to 2 ft . . . . .	25	1.25	6.00	
“ <i>calyculata</i> , col . . . . .		.60	2.00	15.00
“ <i>ligustrina</i> , col . . . . .		.60	3.00	25.00
“ <i>Mariana</i> , 1 to 2 ft . . . . .	20	1.00	5.00	
“ “ 6 to 12 in . . . . .	15	.75	4.00	
“ “ col . . . . .		.75	3.50	25.00
“ <i>polifolia</i> , 3 years . . . . .	25	.75	4.00	
“ “ 1 year . . . . .	10	1.00	5.00	
“ <i>racemosa</i> , 1 to 2 ft . . . . .	25	1.00	7.50	
“ “ col . . . . .		.60	2.50	20.00
<i>Arctostaphylos uva-ursi</i> , col . . . . .		.60	2.00	15.00
<i>Asimina triloba</i> . . . . .	35	2.50		
“ “ col . . . . .	15	.60	3.50	30.00
<i>Ascyrum Crux-Andræ</i> , col . . . . .	15	.60	3.00	
“ <i>stans</i> , col . . . . .	15	.60	3.00	
<i>Azalea arborescens</i> , 2 to 3 feet . . . . .	40			
“ <i>calendulacea</i> , 1 to 2 feet . . . . .	35	2.00	18.00	
“ “ 2 to 3 feet . . . . .	50	4.00		
“ <i>nudiflora</i> , 2 to 3 feet . . . . .	50	4.00		
“ “ 1 year, trans . . . . .		.75	5.00	
“ “ col . . . . .		.60	3.00	25.00
“ <i>Vaseyi</i> , 2 to 3 feet . . . . .	40			

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
Azalea viscosa, 1 year, trans . . . . .	15	.80	\$6.00	
“ “ 2 to 3 feet . . . . .	15	1.25	10.00	
“ “ col . . . . .		.60	3.00	25.00
“ “ 3 to 6 feet, with ball, col . . .	1.50	10.00		
This is an exceptionally fine, bushy lot, well budded, and can be furnished in carload lots at special prices.				
Baccharis halimifolia, col . . . . .	15	.75	4.00	30.00
Berberis Thunbergii, 10 to 12 in . . . . .	15	1.00	8.00	
“ vulgaris, 10 to 12 in . . . . .	10	.40	2.00	
Betula lenta, 5 to 8 feet, trans . . . . .	35	2.00	15.00	
“ “ 3 to 5 feet, trans . . . . .	25	1.25	10.00	
“ “ col . . . . .		.50	2.50	18.00
“ nigra, 5 to 8 feet, fine . . . . .	40	3.00	20.00	
“ “ 8 to 15 feet . . . . .	50	4.00	30.00	
“ “ col . . . . .		.60	3.00	20.00
“ populifolia, col . . . . .		.50	1.50	10.00
“ lutea, 5 to 10 feet, extra . . . . .	40	2.50		
“ papyracea, 8 to 10 feet . . . . .	40			
Calycanthus Floridus, 1 to 2 feet . . . . .	15	1.00	6.00	
Carpinus Americana, 4 to 6 feet . . . . .	25	1.50	10.00	
“ “ 3 to 4 feet . . . . .		.80	7.50	
“ “ 1 year, trans . . . . .		.75	5.00	
“ “ col . . . . .		.50	3.50	30.00
Castanea Americana, 3 to 6 feet . . . . .	25	1.50		
“ Jap., special strain, 5 to 8 feet . . .	40	3.00		
Ceanothus Americanus col . . . . .	10	.60	4.00	
Celastrus scandens, col . . . . .		.50	2.00	15.00
Cephalanthus occidentalis, 2 to 3 feet . . .	15	.80	5.00	
“ “ 1 to 2 feet . . . . .	10	.50	3.00	
Cercis Canadensis, 3 to 4 feet . . . . .	25	1.00		
“ “ col . . . . .		.60	4.00	30.00
Chionanthus Virginica, 3 to 5 feet . . . . .	40	2.00	10.00	75.00
“ “ 2 to 3 feet . . . . .	30	1.25	6.00	50.00
“ “ 1 to 2 feet . . . . .	15	.60	3.50	
Clematis Virginica, col . . . . .		.50	2.50	18.00
Clethra alnifolia, 2 to 3 feet . . . . .	15	.80	5.00	
“ “ 1 to 2 feet . . . . .	10	.50	3.00	25.00
“ “ coll . . . . .		.50	2.00	15.00
Comptonia asplenifolia, 1 to 2 feet, bushy . .	25	1.00	7.50	
“ “ col . . . . .		.50	1.50	10.00
Cornus Florida, 3 to 5 feet . . . . .	25	2.00	15.00	
“ “ 2 to 3 feet . . . . .	15	1.00	10.00	
“ “ col . . . . .		.60	3.50	20.00
“ mas., 3 to 4 feet . . . . .	20	1.00	8.00	
“ “ 2 to 3 feet . . . . .	15	.90	5.00	
“ circinata, 2 to 3 feet . . . . .	25	1.50		
“ “ coll . . . . .		.60	3.50	30.00

All plants in this list are nursery-grown unless otherwise specified.



	EACH	10	100	1000
<i>Cornus paniculata</i> , 1 to 3 feet . . . . .	20	1.00		
“ “ col . . . . .		.60	3.00	25.00
“ <i>sanguinea</i> , 3 to 4 feet . . . . .	20	.75		
“ <i>sericea</i> , 2 to 3 feet . . . . .	20	.75	6.00	
“ “ 1 to 2 feet . . . . .		.50	4.00	
“ “ col . . . . .		.60	2.50	20.00
<i>Corylus Americana</i> , 2 to 3½ feet, fine . . . . .	30	2.00	15.00	
“ “ col . . . . .		.60	3.00	20.00
<i>Cratægus parvifolia</i> , 2 to 3 feet, heavy . . . . .	30	1.75		
“ “ col . . . . .		.60	4.00	35.00
“ <i>crus-galli</i> , 3 to 4 feet . . . . .	40	2.00		
<i>Cupressus thyoides</i> , col . . . . .		.50	1.50	8.00
<i>Diervilla trifida</i> , trans . . . . .	15	.60	4.00	
“ “ col . . . . .		.60	3.00	25.00
“ <i>sessilifolia</i> , 3 to 4 feet . . . . .	20	1.00		
<i>Dimorphanthus Mandschuricus</i> , 4 to 7 feet . . . . .	50	3.00		
<i>Diospyros Virginica</i> , col . . . . .	20	.75	4.00	
<i>Dirca palustris</i> , trans . . . . .	20	.75		
<i>Epigæa repens</i> , col. seedlings, with ball . . . . .	25	1.00	6.00	
<i>Euonymus Americanus</i> , trans . . . . .	15	.60	3.50	
“ “ col . . . . .		.60	2.50	20.00
“ <i>radicans</i> , strong . . . . .	15	.60	3.50	
“ “ variegated . . . . .	15	.75		
“ <i>Europæus</i> , 3 to 4 feet . . . . .	20	1.00	4.00	
“ “ 2 to 3 feet . . . . .	15	.60	3.00	
<i>Forsythia Fortunei</i> , 1 year . . . . .	15	.60	3.00	
<i>Fraxinus Americanus</i> , col . . . . .	20	.75	3.00	25.00
<i>Gaultheria procumbens</i> , col . . . . .	10	.40	1.50	10.00
<i>Gaylussacia Dumosa</i> . . . . .	15	.60	3.50	
“ “ col . . . . .		.60	2.50	20.00
“ “ frondosa . . . . .	15	.60	5.00	
“ “ col . . . . .		.50	3.00	25.00
“ <i>resinosa</i> , col . . . . .	15	.50	2.00	15.00
<i>Halesia tetraptera</i> , 4 to 6 feet . . . . .	25	1.25		
<i>Hammamelis Virginica</i> , 3 to 4 feet . . . . .	25	1.25	10.00	
“ “ 2 to 3 feet . . . . .	15	.75	5.00	
“ “ col . . . . .		.60	3.50	30.00
<i>Hudsonia ericoides</i> , col . . . . .	10	.50	2.00	15.00
“ <i>tomentosa</i> , col . . . . .		.60	3.00	20.00
<i>Hydrangea arborescens</i> , 2 to 3 feet . . . . .	15	.75	6.00	
“ “ col . . . . .		.60	3.00	25.00
<i>Hypericum densiflorum</i> , col . . . . .	15	.60	1.50	10.00
<i>Ilex glabra</i> , 6 to 12 inch. col . . . . .	15	.60	3.00	
“ 1 to 2 feet, with ball, col . . . . .	50	3.00	17.00	
“ 2 to 3 feet, with ball, col . . . . .	1.00	6.00	40.00	
<i>Ilex Opaca</i> , 2 to 4 feet, trans . . . . .	50	3.00	25.00	
“ trans., berry bearing . . . . .	\$1 to \$5			
“ col. seedlings . . . . .		.75	4.00	35.00

All plants in this list are nursery grown unless otherwise specified.

	EACH	10	100	1000
Ilex Opaca, col, 1 to 2 feet, very bushy . . .		1.50	12.00	
Prices quoted on larger sizes on application.				
<i>We cut leaves from all Ilex Opaca as soon as dug.</i>				
Ilex verticillata, 2 to 3 feet, berry bearing . .	75	5.00	30.00	
“ col . . . . .		.85	4.00	30.00
Itea Virginica, 1 to 2 feet . . . . .	15	.50	4.00	
“ 2 to 3 feet . . . . .	20	.75	6.00	
“ col . . . . .		.50	2.50	
Juniperus Virginiana, col . . . . .	15	.50	2.00	15.00
Kalmia angustifolia, col . . . . .		.60	2.00	15.00
“ glauca, 12 to 15 inches . . . . .	25	1.00	6.00	
“ latifolia, 6 to 12 inch, col . . . . .		.60	2.50	15.00
“ “ 2 feet, with ball, col . . . . .	40	2.50	20.00	
We have a fine lot of this grade of Kalmias growing on land which was burned over three years ago, which we can furnish by thousand or carload <i>at special prices.</i>				
Kolreuteria paniculata, 1 to 3 feet . . . . .	10	.50	3.00	25.00
Ledum latifolium, 8 to 12 inch, bushy . . . .	30	1.50		
Ligustrum Iboia . . . . .	20	.75		
Leiophyllum buxifolium, col . . . . .	15	.60	2.00	15.00
Leucothoe Catesbaei, 1 to 2 feet . . . . .	15	1.00	6.00	
“ “ 6 to 12 inch . . . . .	10	.60	4.00	
Lindera Benzoin, 12 to 18 inch . . . . .	20	.80	5.00	
“ “ col . . . . .		.60	3.00	25.00
Liquidambar styraciflua, 6 to 8 feet . . . . .	50	3.50		
“ “ 4 to 6 feet . . . . .	35	3.00	25.00	
“ “ 2 to 4 feet . . . . .	20	1.00	8.00	
“ “ col . . . . .		.60	2.00	
Liriodendron tulipifera, 6 to 8 feet . . . . .	35	2.50	18.00	
“ “ 5 to 6 feet . . . . .	25	2.00	12.00	100.00
“ “ 4 to 5 feet . . . . .	15	1.25	10.00	75.00
Lonicera Brachypoda, col . . . . .	15	.60	3.00	25.00
“ fragrantissima, 2 to 3 feet . . . . .	15	.50		
“ Halleana, 2 years . . . . .	35	.75	3.50	25.00
Lyceum vulgare . . . . .	10	.50	2.50	
Magnolia glauca, transplanted . . . . .	25	1.00		
“ “ col . . . . .	15	.75	3.00	
Menispermum Canadense, col . . . . .	15	.60	2.50	20.00
Myrica cerifera, 1 to 2 feet, bushy . . . . .	30	1.00	6.00	
“ 1 year, transplanted, strong . . . . .		.75	5.00	
“ col, seedlings . . . . .		.75	3.50	
“ gale, 1½ to 2½ feet, bushy . . . . .	25	1.00	7.50	
“ “ col . . . . .		.75	3.50	30.00
Nyssa, multiflora, trans . . . . .	15	1.00		
Ostrya Virginica, col . . . . .		.75	4.50	40.00
“ “ 1 year, trans . . . . .	25	1.00	8.00	
Phelodendron amurense, 4 to 6 feet . . . .	20	1.25		

All plants in this list are nursery grown unless otherwise specified.

	EACH	10	100	1000
<i>Platanus orientalis</i> , 10 feet . . . . .	40	\$3.00	\$	\$
“ “ 5 to 10 feet . . . . .	25	2.00	15.00	
“ “ 3 to 5 feet . . . . .	15	1.00	8.00	
<i>Potentilla fruticosa</i> , 1 to 2 feet . . . . .	15	.60	3.00	
<i>Prunus maritima</i> , col . . . . .	15	.60	3.00	20.00
“ <i>serotina</i> , coll . . . . .	15	.60	3.00	20.00
“ <i>Virginiana</i> , coll . . . . .	15	.60	3.00	25.00
<i>Pyrus arbutifolia</i> , 2 to 3 feet . . . . .	15	.60	4.00	35.00
“ “ coll . . . . .		.60	2.00	18.00
“ “ var. <i>Brilliantissima</i> , 2 to 3 feet, bushy . . . . .	25	1.75	10.00	
“ “ var. <i>Brilliantissima</i> , 1 to 2 ft . . . . .	15	1.25	7.50	
“ <i>melanocarpa</i> , black-fruited . . . . .	15	.75	4.50	35.00
“ “ coll . . . . .		.60	2.00	18.00
<i>Rhododendron maximum</i> , 1 to 2 feet . . . . .	35	2.00	12.00	
“ “ coll, seedlings 6 to 12 in . . . . .		.75	2.00	18.00
<i>Rhus aromatica</i> , 1 to 2 feet . . . . .	20			
“ <i>copallina</i> , 2 to 3 feet . . . . .	15	.80	4.00	
“ “ 1 to 2 feet . . . . .		.75	3.50	
“ “ coll . . . . .		.50	2.00	15.00
“ <i>glabra</i> , coll . . . . .		.75	3.00	
“ <i>typhina</i> , coll . . . . .	15	.60	2.50	20.00
<i>Ribes Floridum</i> . . . . .	10	.80	4.00	
<i>Robinia hispida</i> . . . . .	15	.50	3.00	25.00
<i>Rosa blanda</i> . . . . .	15	.75	5.00	
“ <i>Carolina</i> . . . . .	15	.60	3.00	
“ “ coll . . . . .		.60	2.00	18.00
“ <i>lucida</i> . . . . .	15	.60	4.00	
“ “ coll . . . . .		.50	2.50	20.00
“ <i>nitida</i> . . . . .	20	1.25	7.00	
“ <i>rugosa</i> . . . . .	20	1.25	8.00	
“ <i>setigera</i> . . . . .	15	1.25	7.00	
<i>Rubus Canadensis</i> , col . . . . .	10	.40	1.50	10.00
“ <i>cuneifolius</i> , col . . . . .	10	.40	2.00	15.00
“ <i>hispidus</i> , coll . . . . .		.50	1.50	7.50
“ <i>odoratus</i> . . . . .	20	.75	3.00	
“ “ coll . . . . .		.50	2.00	15.00
<i>Salix Britzensis</i> , 1 year . . . . .	10	.50		
<i>Sambucus Canadensis</i> , coll . . . . .	20	.75	5.00	
<i>Sassafras</i> , 1 year, trans . . . . .	15	1.00	5.00	
“ coll . . . . .		.50	3.00	25.00
<i>Smilax, rotundifolium</i> , coll . . . . .	15	.60	3.00	25.00
“ <i>Walterii</i> , col . . . . .	25	1.00	6.00	
<i>Spiræa Anthony Waterer</i> , 2 to 3 feet . . . . .	25	1.75		
“ <i>opulifolia</i> , 4 to 6 feet . . . . .	20	.75		
“ <i>salicifolia</i> , 3 to 4 feet . . . . .	15	.60	3.50	

All plants in this list are nursery-grown unless otherwise specified.

	EACH	10	100	1000
<i>Spiræa tomentosa</i> , 3 to 4 feet . . . . .	15	.60	\$2.50	\$20.00
“ “ collected . . . . .		.60	2.00	15.00
“ “ <i>alba</i> , 2 to 4 feet . . . . .	15	.60	3.00	
<i>Staphylea trifolia</i> , collected . . . . .	15	.60	3.00	25.00
<i>Stephanandra flexuosa</i> . . . . .	15	1.25		
<i>Stuartia pentagynia</i> , 8 to 12 inch . . . . .	15	1.00	7.50	
<i>Symphoricarpus racemosa</i> , 2 to 3 feet . . . . .	15	.60		
“ <i>vulgaris</i> , 3 to 4 feet . . . . .	15	.60	3.00	25.00
“ “ 2 to 3 feet . . . . .	10	.50	2.00	20.00
<i>Syringa Persica</i> . . . . .	25			
<i>Tecoma radicans</i> . . . . .	10	.50	2.50	20.00
<i>Ulmus Americana</i> , 4 to 6 feet . . . . .	15	1.00	6.00	
<i>Vaccinium corymbosum</i> , transplanted . . . . .	15	1.25	10.00	
“ “ collected . . . . .		.60	3.00	25.00
“ <i>macrocarpon</i> , collected . . . . .	10	.50	1.50	10.00
“ <i>Pennsylvanicum</i> , collected . . . . .		.60	3.00	25.00
“ <i>stamineum</i> , 8 to 12 inch . . . . .	15	.80	6.00	
“ “ collected . . . . .		.75	4.00	30.00
“ <i>vacillans</i> , collected . . . . .		.60	2.00	15.00
<i>Viburnum acerifolium</i> , 1 to 2 feet . . . . .	15	1.00	10.00	
“ “ 2 to 3 feet . . . . .	25	2.00	15.00	
“ “ collected . . . . .		.60	3.00	25.00
“ <i>cassinoides</i> , 2 year, transplanted . . . . .	25	1.50	10.00	
“ <i>dentatum</i> , 3 to 4 feet . . . . .	30	2.00		
“ “ 2 to 3 feet, transplanted . . . . .	25	1.50	10.00	
“ “ 1 to 2 feet . . . . .		1.25	8.00	
“ “ collected . . . . .		.60	4.00	35.00
“ <i>nudum</i> , collected . . . . .		.60	3.00	25.00
“ <i>prunifolium</i> , transplanted . . . . .	30	1.25		
“ “ collected . . . . .		.80	5.00	
“ <i>tomentosum</i> , 3 to 5 feet . . . . .	50	2.00		
<i>Virgilia lutea</i> , 6 to 12 inch . . . . .	15	1.00	6.00	
<i>Xanthoxylum Americanum</i> . . . . .	25	.80		
“ “ collected . . . . .		.75	4.00	30.00
<i>Xanthorhiza apiifolia</i> . . . . .	20	1.25	6.00	

### Coniferous Evergreens.

<i>Arborvitæ</i> , dwarf, 1 to 2 feet . . . . .	25	1.50		
Blue Fir, <i>Picea concolor</i> , 3 to 4 feet . . . . .	35	2.50		
Colorado Blue Spruce, seedlings, 1 to 2 feet . . . . .	35	2.50		
Douglas Fir, 2 to 3 feet . . . . .	25	2.50		
Norway Spruce, 2 to 4 feet . . . . .	15	1.00	7.00	
<i>Pinus strobus</i> , 3 to 5 feet . . . . .	25	2.00	15.00	
<i>Pinus rigida</i> , seedlings, collected . . . . .		.50	1.50	12.00

All plants in this list are nursery grown unless otherwise specified.





AZALEA